

**From:** Kelley Chase/R3/USEPA/US  
**Sent:** 3/7/2012 11:13:25 AM

**To:** "Denis Eagan" <DEagan@moody-s.com>; "sbrokenshi@pa.gov" <sbrokenshi@pa.gov>  
**CC:** "John Smelko" <john.smelko@cabotog.com>  
**Subject:** Fw: Additional sample 3/8/12

Denis and Stephen -

We received limited information from the homeowners and were not able to perform a pre-sampling check of the home. Based on the initial information received, we are planning for both a wellhead and tap sample. However, as you know, this could change based on what we find in the field.

Thanks - Kelley

----- Forwarded by Kelley Chase/R3/USEPA/US on 03/07/2012 11:09 AM -----

From: Kelley Chase/R3/USEPA/US  
To: "Denis Eagan" <DEagan@moody-s.com>  
Cc: "John Smelko" <john.smelko@cabotog.com>  
Date: 03/06/2012 08:42 PM  
Subject: Re: Additional sample 3/8/12


Just saw your e-mail - will check tomorrow and get back to you.

Kelley A. Chase  
EPA Region 3  
On-Scene Coordinator  
215-814-3124 office  
267-273-8859 cell

----- Original Message -----


From: Denis Eagan [DEagan@moody-s.com]  
Sent: 03/06/2012 04:57 PM GMT  
To: Kelley Chase  
Cc: John Smelko <john.smelko@cabotog.com>  
Subject: Additional sample 3/8/12

Kelley,

For the sampling at  on Thursday, do you know if we are collecting both a wellhead and a kitchen faucet sample?

Thanks.

Denis P. Eagan  
Senior Geologic Technician  
Moody & Associates  
685 Broad St Extension  
Suite 1  
Waverly, NY 14892

 Office: 607-565-8800  
Cell: 570-877-9126  
Fax: 607-565-8805  
Deagan@moody-s.com

Sent from my iPhone